

Dancing Geese



New Version

Fabric Café®
Putting the Fun Back in Quilting!

090922-01

Make it with 3 yards

48" x 60"

Dancing Geese

Fabric Café®
Putting the Fun Back in Quilting!



Putting the Fun Back in Quilting!



*A personal letter: from
Donna Robertson &
Fran Morgan, owners
and designers for
Fabric Café!*

Thank you for your purchase! We hope you will enjoy making your new quilt. We think you will find the instructions easy to follow and that the end results of your new quilt will be to your satisfaction. Should you have any questions or need our assistance, please don't hesitate to contact us at welisten@fabriccafe.com or call us toll-free 866-855-0998.

Please note that this pattern and the images within are copyrighted by Fabric Café with all rights reserved. Please do not resell, copy or share.

Donna Robertson

Fran

New Version

Fabric Café

Putting the Fun Back in Quilting!

090922-01



Make it
with
3 yards

48" x 60"

Dancing Geese

Dancing Geese

Materials List

Quilt Top

- 3, 1 yard cuts of fabric

Backing Fabric

- 3 yards of fabric

Other Materials

- Twin-size batting
- Thread to match fabric

This is an economy quilt designed to efficiently utilize 44" wide fabric. A single fold binding is used. An additional 1/2 yard of fabric is needed for a double fold binding.

- 1/4" seam allowance throughout
- WOF means Width of Fabric
- HST means Half Square Triangle



Fabric Café

Putting the Fun Back in Quilting!

Copyright Fabric Café 2009

www.fabriccafe.com

Printed in the USA



8 97086 00613 8

Dancing Geese

Designed by Donna Robertson

Finished Size: 48" x 60"

Cutting Instructions

From Fabric #1:

* Cut 4, 7" x WOF;
from these strips, cut
24, 7" x 7" squares for
HST Assembly

*Cut 5, 1¼" x WOF for
border #1

From Fabric #2:

* Cut 4, 7" x WOF;
from these strips, cut
24, 7" x 7" squares for
HST Assembly

*Cut 5, 1¼" x WOF for
border #2

From Fabric #3:

* Cut 5, 5" x WOF for
border #3

* Cut 6, 1¼" x WOF
for binding

From Backing Fabric:

* Cut 2, 54" x WOF

Step 1: HST Assembly

Referring to **HST Assembly** diagram, using a fabric marking pen, draw a line diagonally from corner to corner on wrong side of fabric #2, 7" x 7" squares. Using one each of fabric #1 and #2, 7" x 7" squares for each **HST Assembly**, place right sides together. Sew a scant ¼" on each side of line. Cut on drawn line; press blocks open. Trim and square

blocks to 6½" x 6½". Repeat making 48, 6½" x 6½" **HST Blocks**.

Step 2: Quilt Assembly

Referring to **Quilt Assembly** diagram, rotating **HST Blocks** as shown, assemble 8 rows of 6 blocks each.

Step 3: Border

For border #1, using fabric #1, 1¼" x WOF border strips, sew together end to end. Sew strip to each side of quilt; trim even with top and bottom. Using remainder of strip, sew to top and bottom; trim even with sides.


For border #2, repeat using fabric #2, 1¼" x WOF border strips.

For border #3, repeat using fabric #3, 5" x WOF border strips.


Step 4: Backing & Binding

Sew backing fabric together along trimmed selvage edges; press. Layer top, batting and backing together; quilt as desired. For binding, using fabric #3, 1¼" x WOF binding

Quilt Assembly




Fabric Selection Guide




strips, sew strips together end to end. Press in half with wrong sides together; press one raw edge to center fold. Place right side of binding

to front side of quilt. Using a scant ¼", sew unpressed edge of binding to quilt, mitering corners. Fold to back and hand stitch in place.

HST Assembly



Draw line from corner to corner. Sew a scant ¼" on each side of line. Cut on drawn line.



Make 48, 6½" x 6½" **HST Blocks**

Fabric Café

Putting the Fun Back in Quilting!
Copyright Fabric Café 2009
www.fabriccafe.com

090922_01