


Simply Blocks



Fabric Café®
Putting the Fun Back in Quilting!





*A personal letter: from
Donna Robertson &
Fran Morgan, owners
and designers for Fabric
Café!*

Thank you for your purchase! We hope you will enjoy making your new quilt. We think you will find the instructions easy to follow and that the end results of your new quilt will be to your satisfaction. Should you have any questions or need our assistance, please don't hesitate to contact us at welisten@fabriccafe.com or call us toll-free 866-855-0998.


Please note that this pattern and the images within are copyrighted by Fabric Café with all rights reserved. Please do not resell, copy or share.

Donna Robertson

Fran

Fabric Café
 Putting the Fun Back in Quilting!

090935-01



Make It
 with
 3 yards

46" x 55"

Simply Blocks

Simply Blocks

Materials List

Quilt Top

- 3, 1 yard cuts of fabric

Backing Fabric


- 3 yards of fabric

Other Materials

- Twin-size batting
- Thread to match fabric

This is an economy quilt designed to efficiently utilize 44" wide fabric. A single fold binding is used. An additional ½ yard of fabric is needed for a double fold binding.

- ¼" seam allowance throughout
- WOF means Width of Fabric



Fabric Café
 Putting the Fun Back in Quilting!
 Copyright Fabric Café 2009
www.fabriccafe.com

Printed in the USA



8 50029 30695 5

Simply Blocks

Designed by Fran Morgan

Finished Size: 46" x 55"

Cutting Instructions

From Fabric #1:

* Cut 5, 6½" x WOF;
from these strips, cut 12,
6½" x 9½" rectangles for
Block "A" Assembly and
8, 6½" x 9½" for **Block "B" Assembly**

From Fabric #2:

* Cut 2, 5" x WOF for
Strip Assembly
* Cut 5, 3½" x WOF for
border #1

From Fabric #3:

* Cut 2, 5" x WOF for
Strip Assembly
* Cut 5, 2½" x WOF for
border #2
* Cut 6, 1¼" x WOF for
binding

From Backing Fabric:

* Cut 2, 54" x WOF

Referring to **Row "B"**

Assembly diagram, using
4 **Block "B"**, assemble 2,
9½" x 36½" **Row "B"**.

Referring to **Quilt Assembly**
diagram, alternating **Rows**
"A" and "B" as shown,
assemble 5 rows.

Step 3: Borders

For border #1, using
fabric #2, 3½" x WOF border
strips, sew together end to
end. Sew strip to each side of
quilt; trim even with top and
bottom. Using remainder of
strip, sew to top and bottom;
trim even with sides. For
border #2, repeat using
fabric #3, 2½" x WOF
border strips.

Step 4: Backing & Binding

Sew backing fabric together
along trimmed selvage edges;
press. Layer top, batting and
backing together; quilt as
desired. For binding, using
fabric #3, 1¼" x WOF
binding strips, sew strips
together end to end. Press
in half with wrong sides
together; press one raw edge
to center fold. Place right side
of binding to front side of
quilt. Using a scant ¼", sew
unpressed edge of binding
to quilt, mitering corners.
Fold to back and hand stitch
in place.

Step 1: Block "A" & "B" Assembly

Referring to **Strip Assembly**
diagram, using one fabric #2,
5" x WOF and one fabric #3,
5" x WOF, sew together on
long edges as shown. Repeat
making 2 assemblies. Cut into
20, 3½" x 9½" **Unit "A"**.

Referring to **Block "A"**
Assembly diagram, using one
Unit "A", sew to side of one
fabric #1, 6½" x 9½" rectangle
as shown. Repeat making 12,
9½" x 9½" **Block "A"**.


Referring to **Block "B"**
Assembly diagram, using
one **Unit "A"**, sew to side
of one fabric #1, 6½" x 9½"
rectangle as shown. Repeat
making 8, 9½" x 9½" **Block "B"**.

Step 2: Quilt Assembly

Referring to **Row "A"**

Assembly diagram, using
4 **Block "A"**, assemble 3,
9½" x 36½" **Row "A"**.


Quilt Assembly



Fabric Selection Guide




Block "A" Assembly




Make 12, 9½" x 9½" **Block "A"**

Block "B" Assembly




Make 8, 9½" x 9½" **Block "B"**

Row "A" Assembly




Make 3, 9½" x 36½" **Row "A"**

Row "B" Assembly



Make 2, 9½" x 36½" **Row "B"**

Strip Assembly



Make 2 assemblies
Cut into 20, 3½" x 9½" **Unit "A"**

Fabric Café

Putting the Fun Back in Quilting!

Copyright Fabric Café 2009

www.fabriccafe.com

090935-01