


# Candy Stripe



**Fabric Café**<sup>®</sup>  
Putting the Fun Back in Quilting!

# Fabric Café®

Putting the Fun Back in Quilting!



*A personal letter: from  
Donna Robertson &  
Fran Morgan, owners  
and designers for Fabric  
Café!*

Thank you for your purchase! We hope you will enjoy making your new quilt. We think you will find the instructions easy to follow and that the end results of your new quilt will be to your satisfaction. Should you have any questions or need our assistance, please don't hesitate to contact us at [welisten@fabriccafe.com](mailto:welisten@fabriccafe.com) or call us toll-free 866-855-0998.

Please note that this pattern and the images within are copyrighted by Fabric Café with all rights reserved. Please do not copy and share.

*Donna Robertson*

*Fran*




New Version

Fabric Café

Putting the Fun Back in Quilting!

090934-01



Make it  
with  
3 yards

46" x 58"

Candy Stripe

## Candy Stripe

### Materials List

#### Quilt Top


- 3, 1 yard cuts of fabric

#### Backing Fabric

- 3 yards of fabric

#### Other Materials

- Twin-size batting
- Thread to match fabric



This is an economy quilt designed to efficiently utilize 44" wide fabric. A single fold binding is used. An additional 1/2 yard of fabric is needed for a double fold binding.

- 1/4" seam allowance throughout
- WOF means Width of Fabric
- HST means Half Square Triangle

Fabric Café

Copyright Fabric Café 2008  
www.fabriccafe.com

Printed in the USA



8 50029 30688 17

# Candy Stripe

Designed by Fran Morgan

Finished Size: 46" x 58"

## Cutting Instructions

### From Fabric #1:

\* Cut 4, 7" x WOF; from these strips, cut 24, 7" x 7" squares for **HST Assembly**

### From Fabric #2:

\* Cut 4, 7" x WOF; from these strips, cut 24, 7" x 7" squares for **HST Assembly**

### From Fabric #3:

\* Cut 5, 5½" x WOF for border

\* Cut 5, 1¼" x WOF for binding

### From Backing Fabric:

\* Cut 2, 54" x WOF

## Step 1: HST Assembly

Referring to **HST Assembly** diagram, using a fabric marking pen, draw a line diagonally from corner to corner on wrong side of fabric #2, 7" x 7" squares. Using one each of fabric #1 and #2, 7" x 7" squares for each **HST Assembly**, place right sides together. Sew a scant ¼" on each side of line. Cut on drawn line; press blocks open. Trim and square blocks to 6½" x 6½". Repeat making 48, 6½" x 6½" **HST Blocks**.

## Step 2: Quilt Assembly

Referring to **Quilt Assembly** diagram, rotating **HST Blocks** as shown, assemble 8 rows of 6 blocks each.

## Step 3: Border


For border, using fabric #3, 5½" x WOF border strips, sew together end to end.

Sew strip to each side of quilt; trim even with top and bottom. Using remainder of strip, sew to top and bottom; trim even with sides.

## Step 4: Backing & Binding

Sew backing fabric together along trimmed selvage edges; press. Layer top, batting and backing together; quilt as desired. For binding, using fabric #3, 1¼" x WOF binding strips, sew strips together end to end. Press in half with wrong sides together; press one raw edge to center fold. Place right side of binding to front side of quilt. Using a scant ¼", sew unpressed edge of binding to quilt, mitering corners. Fold to back and hand stitch in place.


## Quilt Assembly



## Fabric Selection Guide




## HST Assembly



Draw line from corner to corner. Sew a scant ¼" on each side of line. Cut on drawn line

## Finished HST Block



Make 48, 6½" x 6½" **HST Blocks**