

Not for Resale. Thank you gift to our subscribers.

Pretty Please



Fabric Café

Putting the Fun Back in Quilting!

Fabric Café

Putting the Fun Back in Quilting!



*A personal letter: from
Donna Robertson &
Fran Morgan, owners
and designers for Fabric
Café!*

Thank you for downloading our free pattern! We hope you will enjoy making your new quilt. We think you will find the instructions easy to follow and that the end results of your new quilt will be to your satisfaction. Should you have any questions or need our assistance, please don't hesitate to contact us at welisten@fabriccafe.com or call us toll-free 866-855-0998.

Please note that this pattern and the images within are copyrighted by Fabric Café with all rights reserved. Please do not copy and share.

Donna Robertson

Fran

New Version

Fabric Café

091524-01



Make it
with
3 yards

44½" x 59½"

Pretty Please

Pretty Please

Materials List

Quilt Top

- 3 coordinating fabrics of 3, 1 yard cuts


Backing Fabric

- 3 yards of fabric

Other Materials

- Twin-size batting
- Sewing thread to match fabric

This is an economy quilt designed to efficiently utilize 44" wide fabric. A single fold binding is used. An additional ½ yard of fabric is needed for a double fold binding. Binding Tutorial available at fabriccafe.com. WOF means "width of fabric".



Printed in the USA

Fabric Café

Copyright Fabric Café 2015
www.fabriccafe.com



8 50029 30629 10

Pretty Please

Designed by Donna Robertson

Finished Size 44½" x 59½"

Note: WOF means "width of fabric." Seam allowance is ¼" throughout. This quilt is intended as an economy quilt designed to utilize 44" wide fabric most efficiently. If you choose to prewash fabrics, overcast raw edges to avoid loss of fabric through raveling. We use a single fold binding. Tutorial available at fabriccafe.com. If double fold binding is preferred, an additional ½ yard of fabric is needed.

Cutting Instructions

From Fabric #1:

* Cut 3, 8" x WOF; from these strips, cut 15, 8" x 8" **Block "B"**

* Cut 1, 8" x WOF; from this strip, cut 3, 8" x 8" **Block "B"**; from remainder of this strip, cut 4, 4" x 4" corner blocks

From Fabric #2:

* Cut 4, 2½" x WOF for **Strip Assembly**

* Cut 7, 2½" x WOF for **Block "A" Assembly**

From Fabric #3:

* Cut 2, 4" x WOF for **Strip Assembly**

* Cut 4, 4" x WOF for border

* Cut 1, 4" x WOF; from this strip, cut 1, 4" x 31" for **Border Extension**. From remainder of this strip, cut 1, 1¼" x 10" **Binding Extension**

* Cut 5, 1¼" x WOF for binding

From Backing Fabric:

* Cut 2, 54" x WOF

Step 1: Block "A" Assembly

Assembly

Referring to **Strip Assembly**

diagram, using 2 fabric #2, 2½" x WOF strips and one fabric #3, 4" x WOF strip, sew together on long edges; repeat making 2 assemblies. Cut into 17, 4" x 8" **Unit "A"**. Referring to **Block "A" Assembly** diagram, using one **Unit "A"** and one fabric #2, 2½" x WOF strip, sew strip to one side; trim even with top and bottom. Repeat on second side. Repeat making 17, 8" x 8" **Block "A"**.

Step 2: Quilt Assembly

Referring to **Quilt Assembly** diagram, alternating **Blocks "A"** and **"B"** as shown, assemble 7 rows of 5 blocks each.

Step 3: Border

For border, measure across the top of quilt; using 2 fabric #3, 4" x WOF border strips, cut this measurement from each strip. Sew one corner block to each end of these strips. Set these strips aside. Using remaining 2 border strips and **Border Extension**, sew together end to end. Sew strip to each side of quilt; trim even with top and bottom. Sew one border strip with corner blocks to each top and bottom.


Step 4: Backing & Binding

Sew backing fabric together along trimmed selvage edges; press. Layer top, batting and backing together; quilt as desired. For binding, using fabric #3, 1¼" x WOF binding strips and **Binding Extension**, sew

strips together end to end. Press in half with wrong sides together; press one raw edge to center fold. Place right side of binding to front side of quilt. Using a scant ¼" sew unpressed edge of binding to quilt,

mitering corners. Fold to back and hand stitch in place.


Quilt Assembly



Fabric Selection Guide



Strip Assembly



Block "A" Assembly

