It's A Snap (2 Kits)

Designed by Donna Robertson Finished Size: 62" x 80"

Fabric	Yardage
3 coordinating fabrics	3, 2 yd. cuts
Backing fabric	5 yds.
Other Materials	
Twin-size cotton batting	
Sewing thread to match fabric	

Note: WOF means "width of fabric." Seam allowance is 1/4" throughout. This quilt is intended as an economy quilt designed to utilize 44" wide fabric most efficiently. If you choose to prewash fabrics, overcast raw edges to avoid loss of fabric through raveling. We use a single fold binding. If double fold binding is preferred, buy an additional ½ yard of fabric.

Cutting Instructions From Fabric #1

- * Cut 3, 5" x WOF for **Strip** Assembly "A"
- * Cut 5, 5" x WOF; from these strips cut 18, 5" x 9½" strips for Block "A" Assembly
- * Cut 1, $9\frac{1}{2}$ " x WOF; from this strip cut 4, $9\frac{1}{2}$ " x $9\frac{1}{2}$ " squares for Block "D".
- * Cut 1, 91/2" x WOF; from this strip cut 2, 9½" x 9½" squares for **Block "D"**. From the remainder of this strip, cut 2, 1½" x 23" for **Border #3**

Extension

* Cut 6, 1½" x WOF for border #3

From Fabric #2:

- * Cut 5, 5" x WOF for **Strip** Assembly "B"
- * Cut 3, 5" x WOF; from these strips cut 12, 5" x $9\frac{1}{2}$ " strips for Block "B" Assembly

* Cut 7, 1½" x WOF for border #1

From Fabric #3:

* Cut 8, 5" x WOF for **Strip**

Assembly "A" and "B"

- * Cut 7, $2\frac{1}{2}$ " x WOF for border
- * Cut 7, 11/4" x WOF for

From backing fabric:

* Cut 2, 54" x WOF

Step 1

Referring to **Strip Assembly** "A" diagram, using one fabric #1, 5" x WOF strip and one fabric #3, 5" x WOF strip, sew together on long edges. Repeat making 3 assemblies. Cut 18, 5" x 9½" Unit "A".

Step 2

Referring to **Strip Assembly** "B" diagram, using one fabric #2, 5" x WOF strip and one fabric #3, 5" x WOF strip, sew together on long edges; repeat making 5 assemblies. Cut 36, 5" x 9½" Unit "B".

Step 3

Referring to Block Assembly diagram, using one fabric #1, 5" x 9½" strip, sew to long edge of one Unit "A". Repeat making 18 Block "A". Using one fabric #2, 5" x 9½" strip, sew to long edge of one Unit "B". Repeat making 12 Block "B". Using 2 Unit "B", rotating as shown, sew long edges together. Repeat making 12 Block "C".

Step 4

Referring to Row Assembly diagram, rotating Block "B"

Fabric Selection Guide

Fabric #1 , 0

Fabric #2

Fabric #3

as shown, sew blocks together. Make 8 rows of 6 blocks each.

Step 5

Referring to **Quilt** Assembly Diagram, sew rows together.

Step 6

For border #1, using fabric #2 border strips, sew together end to end. Sew strip to each side of quilt; trim even with top and bottom. Sew to top and bottom; trim even with sides. Repeat using border #2 strips; repeat using border #3 strips and **Border #3** Extension.


Step 7


Sew backing fabric together along trimmed selvage edges; press. Layer top, batting and backing together; quilt as desired.


Step 8

For binding, using fabric #3, 1¹/₄" x WOF binding strips, sew strips together end to end. Press in half with wrong sides together; press one raw edge to center fold. With right sides together, using a scant 1/4", sew unpressed edge of binding to quilt, mitering corners. Fold to back and hand stitch in place.










Block Assembly



(Make 18,

91/2" x 91/2"

Block "A")

Sew fabric #2. 5" x 9½" "B" (Make 12. 91/3" x "B")

Sew 2 Unit "B" together (Make 12, 91/2" x 91/2" 91/2" Block Block "C")

